

The Cross-dock Door Assignment Problem

A comparison of two formulations using two “different” decompositions

- Presented by:
 - Wael Nassief, PhD Candidate – Mechanical and Industrial Engineering Department, Concordia University.
- A joint work with:
 - Ivan Contreras, Mechanical and Industrial Engineering Department, Concordia University.
 - Brigitte Jaumard, Computer Science and Software Engineering Department, Concordia University.




Agenda

- Introduction and Literature
- Problem statement
- MIP formulations
- Algorithms
- Results
- References and Conclusion

Introduction

Cross-docking: it is a logistics strategy, where goods get


1. **Unloaded** from incoming trucks
2. **Sorted**, and
3. **Loaded** into outgoing trucks, within 24 hours.




- ✓ In Hong Kong, almost all 3PLs use Crossdocking.
- ✓ More than 80% of publications in the last decade.
- ✓ Cross-docking is implemented successfully in:
 - ✓ Retailing, Manufacturing, Automotive, Courier, and Photography.

Cross-docking Problems


Strategic



Tactical



Operational



Literature

1983	Peck [1]			simulation
			MIP	greedy heuristic
1990	Tsui and Chang [2]	1-1 assignments	MIP	
1992			Linearization	B&B
2006	Oh, Hwang, Cha and Lee [3]		MIP	two heuristics
2008	Bozer and Carlo [4]		MIP	simulated annealing
2009	Cohen and Keren [5]		MIP	heuristic algorithm
2009	Zhu, Hahn, Liu, Guignard [6]	Introduced CDAP	MIP	
2012	Guignard, Hahn, Pessoa and Cardoso da Silva [7]		RLT - MIP	3 heuristics and B&B
2015	Nassief, Contreras and As'ad [8]		MIP	LR + Local search
2016	Nassief, Contreras and Jaumard [9]	Comparisons	MIPs	CG + Tabu search

Problem Statement

Sets:

- Set of origins (incoming trucks)
- Set of destinations (outgoing trucks)
- Set of inbound (strip) doors
- Set of outbound (stack) doors

Parameters:

- Commodities between origins and destinations
- Distances between doors
- Capacities on inbound (strip) doors
- Capacities on outbound (stack) doors

Binary decision variables:

- Assignment of origins to strip doors
- Assignment of destinations to stack doors
- Paths of commodities.

$m \in M$

$n \in N$

$i \in I$

$j \in J$

w_{mn}

d_{ij}


S_i

R_j

x_{mi}

y_{nj}

z_{mijn}



Classical formulation: (Zhu et al 2009) [6]

$$\begin{aligned} \min \quad & \sum_{m \in M} \sum_{i \in I} \sum_{n \in N} \sum_{j \in J} w_k d_{ij} x_{mj} y_{nj} \\ \text{s. t.} \quad & \sum_{i \in I} x_{mi} = 1 && \forall m \in M \\ & \sum_{j \in J} y_{nj} = 1 && \forall n \in N \\ & \sum_{m \in M} s_m x_{mi} \leq S_i && \forall i \in I \\ & \sum_{n \in N} r_n y_{nj} \leq R_j && \forall j \in J \\ & x_{mi} \in \{0,1\} && \forall m \in M, i \in I \\ & y_{nj} \in \{0,1\} && \forall n \in N, j \in J \end{aligned}$$

MIP Formulation: M1 (Nassief et al 2015) [8]

$$\min \quad \sum_{k \in K} \sum_{i \in I} \sum_{j \in J} w_k d_{ij} z_{kij}$$

$$s. t. \quad \sum_{i \in I} \sum_{j \in J} z_{kij} = 1 \quad \forall k \in K \quad (1)$$

$$\sum_{j \in J} z_{kij} = x_{o(k)i} \quad \forall k \in K, i \in I \quad (2)$$

$$\sum_{i \in I} z_{kij} = y_{d(k)j} \quad \forall k \in K, j \in J \quad (3)$$

$$\sum_{m \in M} s_m x_{mi} \leq S_i \quad \forall i \in I \quad (4)$$

$$\sum_{n \in N} r_n y_{nj} \leq R_j \quad \forall j \in J \quad (5)$$

$$\sum_{k \in K: d(k)=n} s_{o(k)} z_{kij} \leq S_i y_{nj} \quad \forall n \in N, j \in J, i \in I \quad (6)$$

$$\sum_{k \in K: o(k)=m} r_{d(k)} z_{kij} \leq R_j x_{mi} \quad \forall m \in M, i \in I, j \in J \quad (7)$$

$$x_{mi} \in \{0,1\} \quad \forall m \in M, i \in I \quad (8)$$

$$y_{nj} \in \{0,1\} \quad \forall n \in N, j \in J \quad (9)$$

$$z_{kij} \geq 0 \quad \forall k \in K, i \in I, j \in J \quad (10)$$

MIP Formulation: M2 (Nassief et al 2016) [9]

$$\begin{aligned} \min \quad & \sum_{k \in K} \sum_{i \in I} \sum_{j \in J} w_k d_{ij} z_{kij} \\ \text{s.t.} \quad & \sum_{i \in I} \sum_{j \in J} z_{kij} = 1 \quad \forall k \in K \end{aligned} \quad (1)$$

$$\sum_{j \in J} z_{kij} = \sum_{c \in C_i: o(k) \in c} x_i^c \quad \forall k \in K, i \in I \quad (11)$$

$$\sum_{i \in I} z_{kij} = \sum_{l \in L_j: d(k) \in l} y_j^l \quad \forall k \in K, j \in J \quad (12)$$

$$\sum_{c \in C_i} x_i^c = 1 \quad \forall i \in I \quad (13)$$

$$\sum_{l \in L_j} y_j^l = 1 \quad \forall j \in J \quad (14)$$

$$\sum_{k \in K: d(k)=n} s_{o(k)} z_{kij} \leq S_i \sum_{l \in L_j: n \in l} y_j^l \quad \forall n \in N, j \in J, i \in I \quad (15)$$


$$\sum_{k \in K: o(k)=m} r_{d(k)} z_{kij} \leq R_j \sum_{c \in C_i: m \in c} x_i^c \quad \forall m \in M, i \in I, j \in J \quad (16)$$

$$x_i^c \in \{0,1\} \quad \forall c \in C_i, i \in I \quad (17)$$


$$y_j^l \in \{0,1\} \quad \forall l \in L_j, j \in J \quad (18)$$

$$z_{kij} \geq 0 \quad \forall k \in K, i \in I, j \in J \quad (10)$$

$$C_i = \left\{ M' \subseteq M: \sum_{m \in M'} s_m x_{mi} \leq S_i \right\}$$



$$L_j = \left\{ N' \subseteq N: \sum_{n \in N'} r_n y_{nj} \leq R_j \right\}$$



Lagrangean Relaxation on M1

$$\min \quad \sum_{k \in K} \sum_{i \in I} \sum_{j \in J} w_k d_{ij} z_{kij}$$

$$s. t. \quad \sum_{i \in I} \sum_{j \in J} z_{kij} = 1 \quad \forall k \in K \quad (1)$$

$$\sum_{j \in J} z_{kij} = x_{o(k)i} \quad \forall k \in K, i \in I \quad (2)$$

$$\sum_{i \in I} z_{kij} = y_{d(k)j} \quad \forall k \in K, j \in J \quad (3)$$

$$\sum_{m \in M} s_m x_{mi} \leq S_i \quad \forall i \in I \quad (4)$$

$$\sum_{n \in N} r_n y_{nj} \leq R_j \quad \forall j \in J \quad (5)$$

$$\sum_{k \in K: d(k)=n} s_{o(k)} z_{kij} \leq S_i y_{nj} \quad \forall n \in N, j \in J, i \in I \quad (6)$$

$$\sum_{k \in K: o(k)=m} r_{d(k)} z_{kij} \leq R_j x_{mi} \quad \forall m \in M, i \in I, j \in J \quad (7)$$

$$x_{mi} \in \{0,1\} \quad \forall m \in M, i \in I \quad (8)$$

$$y_{nj} \in \{0,1\} \quad \forall n \in N, j \in J \quad (9)$$


$$z_{kij} \geq 0 \quad \forall k \in K, i \in I, j \in J \quad (10)$$

=> LD function:


- Three independent sub-problems.
- No integrality property.

A column-and-row generation algorithm for M2

$$\begin{aligned}
 (RMP)^t \quad & \min \quad \sum_{k \in K} \sum_{(i,j) \in D_k^t} w_k d_{ij} z_{kij}^t \\
 \text{s. t.} \quad & \sum_{(i,j) \in D_k^t} z_{kij}^t = 1 \quad \forall k \in K \quad (19) \\
 & \sum_{(i,j) \in D_k^t} z_{kij}^t = \sum_{c \in C_i^t} a_c^t x_c^t \quad \forall k \in K, i \in I \quad (20) \\
 & \sum_{(i,j) \in D_k^t} z_{kij}^t = \sum_{l \in L_j^t} b_c^t y_c^t \quad \forall k \in K, j \in J \quad (21) \\
 & \sum_{k \in K} \sum_{(i,j) \in D_k^t} s_{o(k)} z_{kij}^t \leq S_i \sum_{l \in L_j^t; n \in I} y_l \quad \forall n, j, i \in CP_1^t \quad (22) \\
 & \sum_{k \in K} \sum_{(i,j) \in D_k^t} r_{d(k)} z_{kij}^t \leq R_j \sum_{c \in C_i^t; m \in C} x_c \quad \forall m, i, j \in CP_2^t \quad (23) \\
 & \sum_{c \in C_i} x_i^c = 1 \quad \forall i \in I \quad (24) \\
 & \sum_{l \in L_j} y_j^l = 1 \quad \forall j \in J \quad (25) \\
 & x_c^t \in \{0,1\} \quad \forall c \in C_i^t \quad (26) \\
 & y_l^t \in \{0,1\} \quad \forall l \in L_j^t \quad (27) \\
 & z_{kij}^t \geq 0 \quad \forall k \in K, (i,j) \in D_k^t \quad (28)
 \end{aligned}$$



Comparisons



Results:

No	Instance	LR(M1)	CG(M2)	LR(M1)	CG(M2)	H1	H2	H3	LR(M1)	CG(M2)
		%LB		%UB					Time (sec.)	
1	8x4	3.23	2.47	0.00	0.00	0.00	0.00	0.00	5.56	0.38
2	9x4	3.93	3.08	0.00	0.00	0.00	0.00	0.00	10.53	0.49
3	10x4	4.80	3.80	0.00	0.06	0.00	0.00	0.00	11.65	0.57
4	10x5	5.40	4.25	0.00	0.00	0.15	0.15	0.12	11.79	0.84
5	11x5	6.13	4.96	0.00	0.12	0.11	0.10	0.12	16.52	1.12
6	12x5	5.83	4.60	0.00	0.00	0.05	0.03	0.04	15.87	1.34
7	12x6	7.19	6.27	0.00	0.06	0.14	0.25	0.19	21.08	1.84
8	15x6	6.93	5.81	0.00	0.00	0.20	0.17	0.27	32.06	3.21
9	15x7	8.39	6.98	0.11	0.05	0.19	0.09	0.12	29.63	5.51
10	20x10	11.73	10.66	0.31	0.02	0.44	0.16	0.56	78.63	39.42
	Average	6.36	5.29	0.04	0.03	0.13	0.09	0.14	23.33	5.47

Results:

No	Instance	LR(M1)	CG(M2)	LR(M1)	CG(M2)	LR(M1)	CG(M2)
		%LB		%UB		Time (sec.)	
11	10x4	4.01	3.29	0.00	0.00	6.03	0.62
12	15x6	6.20	4.96	0.00	0.12	16.73	3.33
13	20x10	10.15	8.88	0.11	0.24	53.60	38.96
14	25x10	11.29	10.01	0.22	0.00	96.05	76.90
15	50x10	15.90	14.89	0.04	0.01	873.54	5810.87
16	50x20	25.57	23.96	0.17	0.38	1623.42	36811.33
	Average	12.19	11.00	0.09	0.12	444.89	7123.67

Conclusion

- Two MIP formulations presented (M1: polynomial vs M2: exponential variables)
- Two different relaxations applied.
 - M1: Lagrangean relaxations on a set of constraints.
 - M2: Linear programming relaxation on the variables.
- Two different methods applied:
 - Sub-gradient to solve the resulting Lagrangean dual function optimally.
 - Column generation to solve the LP optimally.
- Theoretically: we show both relaxations coincide.
- Practically: CG outperforms SG.

References

- [1] Peck, K.E., 1983. Operational analysis of freight terminals handling less than container load shipments (No. 83-09998 UMI). PhD Dissertation, University of Illinois at Urbana-Champaign, Urbana, IL 61801.
- [2] Tsui, L.Y. and Chang, C.H., 1992. An optimal solution to a dock door assignment problem. *Computers & Industrial Engineering*, 23(1-4), pp.283-286.
- [3] Oh, Y., Hwang, H., Cha, C.N. and Lee, S., 2006. A dock-door assignment problem for the Korean mail distribution center. *Computers & Industrial Engineering*, 51(2), pp.288-296.
- [4] Bozer, Y.A. and Carlo, H.J., 2008. Optimizing inbound and outbound door assignments in less-than-truckload crossdocks. *IIE Transactions*, 40(11), pp.1007-1018.
- [5] Cohen, Y. and Keren, B., 2009. Trailer to door assignment in a synchronous cross-dock operation. *International Journal of Logistics Systems and Management*, 5(5), pp.574-590.
- [6] Zhu, Y.R., Hahn, P.M., Liu, Y. and Guignard, M., 2009, September. New approach for the cross-dock door assignment problem. In *in Proceedings of the XLI Brazilian Symposium on Operations Research*.
- [7] Guignard, M., Hahn, P.M., Pessoa, A.A. and da Silva, D.C., 2012. Algorithms for the cross-dock door assignment problem. In *Proceedings of the Fourth International Workshop on Model-Based Metaheuristics*.
- [8] Nassief, W., Contreras, I. and As'ad, R., 2015. A mixed-integer programming formulation and Lagrangean relaxation for the cross-dock door assignment problem. *International Journal of Production Research*, pp.1-15.
- [9] Nassief, W., Contreras, I. and Jaumard, B., 2016. A comparison of formulations and relaxations for the cross-dock door assignment problem. working paper.